





# CABVM1





## CAB VERTICAL MOUNTING KIT

## KURTYNA CAB – ZESTAW DO MONTAŻU PIONOWEGO

UK

PL





# Installation and Operating Instructions

## Dimplex Air Barrier - Vertical Mounting Kit

Model : CABVM1

IMPORTANT : THESE INSTRUCTIONS SHOULD BE READ CAREFULLY AND RETAINED FOR FUTURE REFERENCE

### IMPORTANT SAFETY ADVICE

**DO NOT COVER OR OBSTRUCT** the air inlet or outlet grille.

**ENSURE THE APPLIANCE IS EARTHED.**

**Do not mount the appliance in areas where excessive dust exists.**

**Always disconnect supply before working on the product.**

**This product should be mounted safely to solid wall or ceiling surfaces only.**

**Ensure the supply cables are of adequate current carrying capacity and are protected by a suitable fuse.**

**Ensure proper manual handling procedures are observed at all times.**

**WARNING: Isolate electrical supply to ALL modular linked units when carrying out maintenance.**

**Ensure all wiring is fixed clear of all moving parts and heat sources.**

If the appliance is mounted in a toilet or washroom an isolating switch must be provided outside the washroom adjacent to the entrance door.

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of appliance by a person responsible for their safety.

This appliance can be used by children from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance. Cleaning and user maintenance shall not be made by children without supervision.

Children of less than 3 years should be kept away unless continuously supervised. Children aged from 3 years and less than 8 years shall only switch on/off the appliance provided that it has been placed or installed in its intended normal operating position and they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Children aged from 3 years and less than 8 years shall not plug in, regulate and clean the appliance or perform user maintenance.

**CAUTION - Some parts of this product can become very hot and cause burns. Particular attention has to be given where children and vulnerable people are present.**

This heater is not equipped with a device to control the room temperature.

Do not use this heater in small rooms when they are occupied by persons not capable of leaving the room, unless constant supervision is provided.

The Instructions for this Recess Linking Kit should be read in conjunction with the 'Dimplex Air Barrier' and 'CABM1 modular linking kit' Instructions. All 'Safety Advice' to be heeded before installing the appliances.

## Procedure

1. Decide which end is to be mounted to the floor. The knockouts (B) to secure the mounting plinth need to be removed using a drill or flat bladed screwdriver and hammer See **Fig 1**.
2. Also remove the knock outs (A) to allow access for the power and control cables **Fig 1**. A suitable cable gland or conduit must be used.
3. Attach the plinth to the CAB end cap using the nuts and bolts provided **Fig 2**.
4. Secure the air barrier to the floor using suitable fixings (not supplied) **Fig 3** ensuring the minimum distances are met **Fig 5**.
5. The air barrier must also be secured at the top of the heater using drop rods **Fig 4b** (not supplied) or the supplied fixing bracket **Fig 4a**.

## Recycling



For electrical products sold within the European Community. At the end of the electrical products useful life it should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice in your country.

## After Sales Service

Your product is guaranteed for three years from the date of purchase. Within this period, we undertake to repair or exchange this product free of charge provided it has been installed and operated in accordance with these instructions.

Your rights under this guarantee are additional to your statutory rights, which in turn are not affected by this guarantee.

Should you require after sales information or assistance with this product please go to [www.dimplex.co.uk](http://www.dimplex.co.uk) where you will find our self help guide by clicking on "After Sales" or ring our helpdesk on 0845 600 5111 (UK) or 01 842 4833 (R.O.I.).

**Spare parts are also available on the website**

**[www.dimplex.co.uk](http://www.dimplex.co.uk)**

Please retain your receipt as proof of purchase.

# Instrukcja instalacji i obsługi

Kurtyna powietrzna Dimplex – zestaw do montażu pionowego

Model: CABVM1

UWAGA: NALEŻY DOKŁADNIE PRZECZYTAĆ PONIŻSZĄ INSTRUKCJĘ I ZACHOWAĆ JĄ DO EWENTUALNEGO PRZYSZŁEGO UŻYTKU.

## WAŻNE INFORMACJE DOTYCZĄCE BEZPIECZEŃSTWA

**NIE ZASŁANIAĆ ANI NIE BLOKOWAĆ KRATKI WLOTOWEJ I WYLOTOWEJ URZĄDZENIA.**

**UPEWNIĆ SIĘ, ŻE URZĄDZENIE JEST UZIEMIONE.**

Nie instalować urządzenia w miejscach o dużym zapyleniu.

Przed wykonaniem jakichkolwiek czynności związanych z urządzeniem należy odłączyć je od zasilania.

Urządzenie wymaga bezpiecznego montażu – dopuszcza się montaż wyłącznie na solidnej ścianie lub na suficie.

Upewnić się, że przewody zasilające mają odpowiednią obciążalność prądową i są chronione właściwym bezpiecznikiem.

Konsekwentnie przestrzegać zasad dotyczących ręcznej obsługi urządzenia.

**OSTRZEŻENIE:** przy wykonywaniu czynności konserwacyjnych odłączyć zasilanie elektryczne do wszystkich urządzeń podłączonych modułowo.

Sprawdzić, czy wszystkie przewody elektryczne znajdują się z dala od elementów ruchomych i źródeł ciepła.

Instrukcję dotyczącą niniejszego zestawu łączącego do montażu wbudowanego należy czytać łącznie z instrukcjami: „Kurtyna powietrzna Dimplex” oraz „Modułowy zestaw łączący CAB M1”. Przed rozpoczęciem montażu należy zapoznać się ze wszystkimi wskazówkami bezpieczeństwa.

## Procedura

1. Zdecydować, który koniec urządzenia ma być zamocowany do posadzki. Zaślepki otworów umożliwiających montaż cokołu (B) należy usunąć przy pomocy wiertarki lub płaskiego wkrętaka i młotka – zob. **Rys. 1**.
2. Usunąć również zaślepki z otworów umożliwiających przeprowadzenie przewodów zasilania i sterowania (A) – zob. **Rys. 1**. Odpowiedni dławik lub przepusty muszą być stosowane.
3. Przymocować cokół do pokrywy końcowej CAB przy użyciu dostarczonych śrub i nakrętek – zob. **Rys. 2**.
4. Zamocować kurtynę powietrzną do posadzki przy wykorzystaniu odpowiednich elementów mocujących (nie są dostarczane w zestawie) – zob. **Rys. 3**. Upewnić się, że zachowane zostały wymagane odległości minimalne – zob. **Rys. 5**.
5. Kurtyna powietrzna wymaga również zamocowania od górnej części grzejnika przy użyciu specjalnych bolców (nie są dostarczane w zestawie) – zob. **Rys. 4b** lub zawartego w zestawie uchwyty montażowego – zob. **Rys. 4a**.

## Recykling



Dotyczy produktów elektrycznych sprzedawanych w obrębie Wspólnoty Europejskiej. Po zakończeniu okresu eksploatacji produktów elektrycznych nie należy wyrzucać ich wraz z odpadami domowymi. Należy korzystać z opcji recyklingu, jeśli tylko jest to możliwe. Aby uzyskać informacje dotyczące możliwości recyklingu w danym kraju, należy skontaktować się z odpowiednimi miejscowymi władzami lub sprzedawcą.

## Serwis posprzedażny

Produkt objęty jest gwarancją przez okres trzech lat od daty zakupu. Podczas tego okresu zobowiązujemy się do bezpłatnej naprawy lub wymiany urządzenia przy zastrzeżeniu, że zostało zainstalowane i było użytkowane zgodnie z zaleceniami zawartymi w niniejszej instrukcji.

Prawa wynikające z niniejszej gwarancji obowiązują niezależnie od praw przysługujących klientowi na mocy obowiązujących przepisów prawa, na które z kolei nie ma wpływu niniejsza gwarancja.

Jeżeli chcieliby Państwo uzyskać informacje dotyczące usług posprzedażowych lub potrzebują pomocy w związku z produktem, proszę skontaktować się z biurem obsługi klienta po numerem telefonu 61 842 58 05